THE AERONAUTICAL JOURNAL

OF THE ROYAL AERONAUTICAL SOCIETY

Volume CXIII

January-December 2009

Subject Index

ACOUSTICS

Interactional aerodynamics and acoustics of a hingeless coaxial helicopter with an auxiliary propeller in forward flight. H.W. Kim, A.R. Kenyon, R.E. Brown and K. Duraisamy, pp 65-78.

Low noise engine design for the silent aircraft initiative. C.A. Hall, pp 599-607.

AERODYNAMICS

A correction to sonic boom theory. T. Cain, pp 739-745.

Control of separation in the concave portion of contraction-improve the flow quality. K. Ghorbanian, M.R. Soltani, M.D. Manshadi and M. Mirzaei, pp 177-182.

Downward pointing winglet design and assessment within the M-DAW research project. J.-L. Hantrais-Gervois, R. Grenon, A. Mann and A. Büscher, pp 221-232.

Effect of aft wall slope on cavity pressure oscillations in supersonic flows. N.S. Vikramaditya and J. Kurian, pp 291-300.

Effects of boundary-layers bleeding on unstart/restart characteristics of hypersonic inlets. J. Chang, D. Yu, W. Bao, Y. Fan and Y.Shen, pp 319-327.

Experimental investigation of the aerodynamic characteristics of generic fan-in-wing configurations. N. Thouault, C. Breitsamter, N.A. Adams, C. Gologan and J. Seifert, pp 9-20.

Interactional aerodynamics and acoustics of a hingeless coaxial helicopter with an auxiliary propeller in forward flight. H.W. Kim, A.R. Kenyon, R.E. Brown and K. Duraisamy, pp 65-78.

Numerical and experimental investigation of tip leakage flow and heat transfer using idealised rotor-tip models at transonic conditions. S.K. Krishnababu, H.P. Hodson, W.N. Dawes, P.J.Newton and G.D. Lock, pp 165-175.

Pneumatic flow control studies using steady blowing on a supercritical aerofoil. C.Wong and K. Kontis, pp 53-63.

Supersonic boundary-layer interactions with various micro-vortex generator geometries. S. Lee and E. Loth, pp 683-697.

AEROELASTICITY

Computational aeroelastic studies of a generic hypersonic vehicle. B.J. Thuruthimattam, P.P. Friedmann, K.G. Powell and R.E. Bartels, pp 775-788.

Flutter/LCO suppression for high-aspect ratio wings. D. Tang and E.H. Dowell, pp 409-416.

Identification of a MIMO state space model of an F/A-18 aircraft using a subspace method. S. De Jesus-Mota, M. Nadeau Beaulieu and R.M. Botez, pp 183-190.

Predicting the response of low-aspect ratio, flexible aircraft. L. Meirovitch, I. Tuzcu and W.D. McGrory, pp 207-219.

AEROSPACE ENGINEERING

An aviation approach-space transportation (A strategy for increasing space exploration within existing budget streams). I.D. Ashford, S. Willcox, Y. Patel, P. Smith and M. Roberts, pp 499-515.

Optical space telescope structures: The state of the art and future directions. M.J. Santer and K.A. Seffen, pp 633-645.

AIR POWER

Air power and the future battlespace. C.J.M. Goulter, pp 21-33.

AIR TRAFFIC MANAGEMENT

Flight test results and analysis of SBAS-like algorithm from the implementation of the Asia-Pacific GNSS test bed. N.Pringvanich and C. Satirapod, pp 35-40.

AIRCRAFT DESIGN

A calculation method for parametric design studies of V/STOL aircraft. C. Gologan, K. Broichhausen and J. Seifert, pp 309-317.

A methodology for optimisation design and analysis of stratosphere airship. Q. Wang, J. Chen, G. Fu, D.Duan and H. Zhao, pp 533-540.

Extreme short take-off and landing regional jets – economic motivation and technological challenges. C. Gologan, pp 563-574.

Feasibility study of a supersonic business jet based on the Learjet airframe. B. Chudoba, G.Coleman, P.A. Czysz and C.M. Butler, pp 517-531.

The optimum aeroplane and beyond. D.I.A. Poll, pp 151-164.

BOOK REVIEWS — BY AUTHOR

Accettura, G. and Bruno, C. (Ed). Advanced Propulsion Systems and Technologies, Today-2020. Progress in Astronautics and Aeronautics series Vol. 224, p 494.

Benavides (Ed), S. Corrosion Control in the Aerospace Industry, p 490.

Boller *et al* (Ed), C. Encyclopedia of Structural Health Monitoring Vols 1-5, p 491.

THE AERONAUTICAL JOURNAL

OF THE ROYAL AERONAUTICAL SOCIETY

Volume CXIII

January-December 2009

Subject Index

ACOUSTICS

Interactional aerodynamics and acoustics of a hingeless coaxial helicopter with an auxiliary propeller in forward flight. H.W. Kim, A.R. Kenyon, R.E. Brown and K. Duraisamy, pp 65-78.

Low noise engine design for the silent aircraft initiative. C.A. Hall, pp 599-607.

AERODYNAMICS

A correction to sonic boom theory. T. Cain, pp 739-745.

Control of separation in the concave portion of contraction-improve the flow quality. K. Ghorbanian, M.R. Soltani, M.D. Manshadi and M. Mirzaei, pp 177-182.

Downward pointing winglet design and assessment within the M-DAW research project. J.-L. Hantrais-Gervois, R. Grenon, A. Mann and A. Büscher, pp 221-232.

Effect of aft wall slope on cavity pressure oscillations in supersonic flows. N.S. Vikramaditya and J. Kurian, pp 291-300.

Effects of boundary-layers bleeding on unstart/restart characteristics of hypersonic inlets. J. Chang, D. Yu, W. Bao, Y. Fan and Y.Shen, pp 319-327.

Experimental investigation of the aerodynamic characteristics of generic fan-in-wing configurations. N. Thouault, C. Breitsamter, N.A. Adams, C. Gologan and J. Seifert, pp 9-20.

Interactional aerodynamics and acoustics of a hingeless coaxial helicopter with an auxiliary propeller in forward flight. H.W. Kim, A.R. Kenyon, R.E. Brown and K. Duraisamy, pp 65-78.

Numerical and experimental investigation of tip leakage flow and heat transfer using idealised rotor-tip models at transonic conditions. S.K. Krishnababu, H.P. Hodson, W.N. Dawes, P.J.Newton and G.D. Lock, pp 165-175.

Pneumatic flow control studies using steady blowing on a supercritical aerofoil. C.Wong and K. Kontis, pp 53-63.

Supersonic boundary-layer interactions with various micro-vortex generator geometries. S. Lee and E. Loth, pp 683-697.

AEROELASTICITY

Computational aeroelastic studies of a generic hypersonic vehicle. B.J. Thuruthimattam, P.P. Friedmann, K.G. Powell and R.E. Bartels, pp 775-788.

Flutter/LCO suppression for high-aspect ratio wings. D. Tang and E.H. Dowell, pp 409-416.

Identification of a MIMO state space model of an F/A-18 aircraft using a subspace method. S. De Jesus-Mota, M. Nadeau Beaulieu and R.M. Botez, pp 183-190.

Predicting the response of low-aspect ratio, flexible aircraft. L. Meirovitch, I. Tuzcu and W.D. McGrory, pp 207-219.

AEROSPACE ENGINEERING

An aviation approach-space transportation (A strategy for increasing space exploration within existing budget streams). I.D. Ashford, S. Willcox, Y. Patel, P. Smith and M. Roberts, pp 499-515.

Optical space telescope structures: The state of the art and future directions. M.J. Santer and K.A. Seffen, pp 633-645.

AIR POWER

Air power and the future battlespace. C.J.M. Goulter, pp 21-33.

AIR TRAFFIC MANAGEMENT

Flight test results and analysis of SBAS-like algorithm from the implementation of the Asia-Pacific GNSS test bed. N.Pringvanich and C. Satirapod, pp 35-40.

AIRCRAFT DESIGN

A calculation method for parametric design studies of V/STOL aircraft. C. Gologan, K. Broichhausen and J. Seifert, pp 309-317.

A methodology for optimisation design and analysis of stratosphere airship. Q. Wang, J. Chen, G. Fu, D.Duan and H. Zhao, pp 533-540.

Extreme short take-off and landing regional jets – economic motivation and technological challenges. C. Gologan, pp 563-574.

Feasibility study of a supersonic business jet based on the Learjet airframe. B. Chudoba, G.Coleman, P.A. Czysz and C.M. Butler, pp 517-531.

The optimum aeroplane and beyond. D.I.A. Poll, pp 151-164.

BOOK REVIEWS — BY AUTHOR

Accettura, G. and Bruno, C. (Ed). Advanced Propulsion Systems and Technologies, Today-2020. Progress in Astronautics and Aeronautics series Vol. 224, p 494.

Benavides (Ed), S. Corrosion Control in the Aerospace Industry, p 490.

Boller *et al* (Ed), C. Encyclopedia of Structural Health Monitoring Vols 1-5, p 491.

Bruno, C. (Ed) and Accettura, G. Advanced Propulsion Systems and Technologies, Today-2020. Progress in Astronautics and Aeronautics series Vol 223, p 494.
Bruno, C. (Ed)Nuclear Space Power and Propulsion Systems. Progress in Astronautics and Aeronautics series Vol 225, p 493.
Culick, F.E.C. (Ed) and Natanzon, M.S. Combustion Instability Progress in Astronautics and Aeronautics series Vol 223, p 492.
Davis, E.W. (Ed) and Millis, M.G. (Ed). Frontiers of Propulsion Science. Progress in Astronautics and Aeronautics Series Vol 228, p 557.
Gay, D. and Hoa, S.V. Composite Materials: Design and Applications — Second edition, p 272.
Grinstein *et al*, F.F. Implicit Large Eddy Simulation: Computing Turbulent Fluid Dynamics, p 202.
Hoa, S.V. and Gay, D. Composite Materials: Design and Applications — Second edition, p 272.
Junkins, J. L. and Schaub, H. Analytical Mechanics of Space Systems — Second Edition, p 747.
Malinov, S. and Sha, W. Titanium Alloys: Modelling of microstructure, properties and applications, p 746.
Millis, M.G. (Ed) and Davis, E.W. (Ed). Frontiers of Propulsion Science. Progress in Astronautics and Aeronautics Series Vol 227, p 557.
Morris, A. and Rahman, A. A Practical Guide — Reliable Finite Element Modelling, p 203.
Natanzon, M.S. and Culick, F.E.C. (Ed). Combustion Instability Progress in Astronautics and Aeronautics series Vol 222, p 492.
Padfield, G.D. Helicopter Flight Dynamics: the Theory and Application of Flying Qualities and Simulation Modelling — Second edition, p 202.
Pajno, V. Sailplane Design: Design Elements, Aerodynamics, Static and Dynamic Stability Calculations, CS22 and OSTIV Rules, Air Loads on Wing, Fuselage and Tailplane, Static Tests and Flight Test, Calculation Examples, p 490.
Pisacane, V.L. The Space Environment and its Effects on Space Systems, p 272.
Rabinovich, B.A. Human Safety Under Accelerations (Biomechanical Analysis), p 746.
Rahman, A. and Morris, A. A Practical Guide-Reliable Finite Element Modelling, p 203.
Rogers, R.M. Applied Mathematics in Integrated Navigation Systems — Third edition, p 202.
Saleh, J.H. Analyses for Durability and System Design Lifetime: a Multidisciplinary Approach, p 272.
Schaub, H. and Junkins, J.L. Analytical Mechanics of Space Systems — Second Edition, p 747.
Sha, W. and Malinov, S. Titanium Alloys: Modelling of microstructure, properties and applications, p 746

BOOK REVIEWS — BY TITLE

A Practical Guide — Reliable Finite Element Modelling. A. Morris and A. Rahman, p 203.
Advanced Propulsion Systems and Technologies, Today–2020. Progress in Astronautics and Aeronautics series Vol 223. C. Bruno (Ed) and G. Accettura, p 494.
Analyses for Durability and System Design Lifetime: a Multidisciplinary Approach. J.H. Saleh, p 272.
Analytical Mechanics of Space Systems — Second Edition. H. Schaub and J.L. Junkins, p 747.
Applied Mathematics in Integrated Navigation Systems — Third edition. R.M. Rogers, p 202.
Combustion Instability Progress in Astronautics and Aeronautics series Vol 222. M.S. Natanzon and F.E.C. Culick (Ed), p 492.
Composite Materials: Design and Applications — Second edition. D. Gay and S.V. Hoa, p 272.
Corrosion Control in the Aerospace Industry. S. Benavides (Ed), p 490.
Encyclopedia of Structural Health Monitoring Vols 1-5. C. Boller *et al* (Ed), p 491.
Frontiers of Propulsion Science. Progress in Astronautics and Aeronautics Series Vol 227. M.G. Millis (Ed) and E.W. Davis (Ed), p 557.
Helicopter Flight Dynamics: the Theory and Application of Flying Qualities and Simulation Modelling — Second edition. G.D.Padfield, p 202.
How Spacecraft Fly: Spaceflight Without Formulae. G. Swinerd, p 490.
Human Safety Under Accelerations (Biomechanical Analysis). B.A. Rabinovich, p 746.
Implicit Large Eddy Simulation: Computing Turbulent Fluid Dynamics. F.F. Grinstein *et al*, p 202.
Modeling and Simulation of Aerospace Vehicle Dynamics — Second edition. P.H. Zipfel, p 204.
Nuclear Space Power and Propulsion Systems. Progress in Astronautics and Aeronautics series Vol 225. C. Bruno (Ed), p 493.
Sailplane Design: Design Elements, Aerodynamics, Static and Dynamic Stability Calculations, CS22 and OSTIV Rules, Air Loads on Wing, Fuselage and Tailplane, Static Tests and Flight Test, Calculation Examples. V. Pajno, p 490.
The Space Environment and its Effects on Space Systems. V.L. Pisacane, p 272.
Titanium Alloys: Modelling of microstructure, properties and applications. W. Sha and S. Malinov, p 746.

COMPOSITES

A homogenisation-based continuum damage mechanics model for cyclic damage in 3D composites. S. Ghosh and J.R. Jain, pp 371-383.
Impact damage and repair of composite structures. B.G. Falzon, pp 431-445.
In-situ impact-induced damage assessment of woven composite laminates through a fibre Bragg grating sensor network. R.C. Garrett, K.J. Peters and M.A. Zikry, pp 357-370.
Macro-fiber composite actuators for a swept wing unmanned aircraft. O. Bilgen, K.B. Kochersberger and D.J. Inman, pp 385-395.

COMPUTATIONAL FLUID DYNAMICS

A CFD assessment of classifications for hypersonic inlet start/unstart phenomena. J. Chang, D. Yu, W. Bao, Z. Xie and Y. Fan, pp 263-271.
Computational fluid dynamics application-aerospace science. J.S. Shang, pp 619-632.
Large eddy simulation of a complete Harrier aircraft in ground effect. G.J. Page and J.J. McGuirk, pp 99-106.

COMPUTATIONAL TECHNIQUES

Aircraft parameter estimation using a new filtering technique based upon a neural network and Gauss-Newton method. N.K. Peyada and A.K. Ghosh, pp 243-252.

ENVIRONMENTAL ENGINEERING

The optimum aeroplane and beyond. D.I.A. Poll, pp 151-164.

FLIGHT CONTROL

CVF ski-jump ramp profile optimisation for F-35B. A. Fry, R. Cook and N. Revill, pp 79-85.
Trajectory optimisation of an aerobatic air race. H. van der Plas and H.G. Vasser, pp 1-8.

FLIGHT CONTROL SYSTEMS

A new model for optimal TF/TA flight path design problem. R. Zardashti and M. Bagherian, pp 301-308.
Control laws for a formation of autonomous flight vehicles. M. Chiaramonti and G. Mengali, pp 609-616.

Design and implementation of linear-quadratic-Gaussian stability augmentation autopilot for unmanned air vehicle. C.-S. Lee, F.-B. Hsiao and S.-S. Jan, pp 275-290.
Development of a proof-of-concept aircraft smart control system (Technical Note). K. Jacobs, M. Harper, E. Meyer, B. Roth and P. Hutapea, pp 587-590.
Flight control system design with H∞ loop-shaping approach through non-diagonal weights. R. Panesi and G. Mengali, pp 447-458.
Towards Integrated design of fluidic flight controls for a flapless aircraft. W.J. Crowther, P.I.A. Wilde, K. Gill and S.M. Michie, pp 699-713.

FLIGHT TEST
Flight test results and analysis of SBAS-like algorithm from the implementation of the Asia-Pacific GNSS test bed. N. Pringvanich and C. Satirapod, pp 35-40.

FLUTTER
Flutter/LCO suppression for high-aspect ratio wings. D. Tang and E.H. Dowell, pp 409-416.
Statistical evaluation of flutter boundaries from flight flutter test data. A.A. Abbasi and J.E. Cooper, pp 41-51.
The effect of multiple stores arrangement on flutter speed of a shear deformable wing subjected-pull-up angular velocity. S.A. Fazelzadeh, A. Mazidi, A.R. Rahmati and P. Marzocca, pp 661-668.

JETS
Experimental investigation of the aerodynamic characteristics of generic fan-in-wing configurations. N. Thouault, C. Breitsamter, N.A. Adams, C. Gologan and J. Seifert, pp 9-20.
Highlights of the Lockheed Martin F-35 STOVL jet effects programme. R. Hoggarth and R. Mange, pp 119-127.
Large eddy simulation of a complete Harrier aircraft in ground effect. G.J. Page and J.J. McGuirk, pp 99-106.
On the characteristics of a twin-jet STOVL fountain. A.J. Saddington, K. Knowles and P.M. Cabrita, pp 139-148.
Wind tunnel testing of powered lift, all-wing STOL model. S.W. Collins, B.W. Westra, J.C. Lin, G.S. Jones and C.H. Zeune, pp 129-137.

LIGHTER-THAN-AIR
A methodology for optimisation design and analysis of stratosphere airship. Q. Wang, J. Chen, G. Fu, D. Duan and H. Zhao, pp 533-540.

MARKET ANALYSIS
Unmanned aviation traffic forecast. L.R. Newcome, pp 459-466.
VSTOL aircraft market analysis. D.K. Howarth, pp 107-118.

PARACHUTES
Numerical simulation of fluid-structure interaction in the opening process of conical parachute. Y. Cao, Z. Wu, Q. Song and J.Sheridan, pp 191-200.

PROPULSION
A CFD assessment of classifications for hypersonic inlet start/unstart phenomena. J. Chang, D. Yu, W. Bao, Z. Xie and Y. Fan, pp 263-271.
A method for calculating inlet distortion effects on stability of split-flow fans. H. Khaleghi, G. Doulgeris, M. Boroomand, P. Pilidis and A.M.Tousi, pp 591-598.
Effects of boundary-layers bleeding on unstart/restart characteristics of hypersonic inlets. J. Chang, D. Yu, W. Bao, Y. Fan and Y. Shen, pp 319-327.
Experimental investigation of the aerodynamic characteristics of generic fan-in-wing configurations. N. Thouault, C. Breitsamter, N.A. Adams, C. Gologan and J. Seifert, pp 9-20.
Low noise engine design for the silent aircraft Initiative. C.A. Hall, pp 599-607.
Modelling methane-air turbulent diffusion flame in a gas turbine combustor with artifical neural network. N.S. Mehdizadeh and P. Sinaei, pp 541-547.
Using deformation modes-identify cracks in turbine engine compressor disks. R.A. Brockman, R. John and M.A. Huelsman, pp 811-819.

ROTORCRAFT
A causal factors analysis of helicopter accidents in New Zealand 1996-2005 and the United Kingdom 1986-2006. A. Majumdar, K. Mak, C.Lettington and P. Nalder, pp 647-660.
Analysis of helicopter vibratory hub loads alleviation by cyclic trailing-edge blade flap actuation. M. Gennaretti, M. Molica Colella and G. Bernardini, pp 549-556.
Flow visualisation of the helicopter brown-out phenomenon. N.D. Nathan and R.B. Green, pp 467-478.
Interactional aerodynamics and acoustics of a hingeless coaxial helicopter with an auxiliary propeller in forward flight. H.W. Kim, A.R. Kenyon, R.E. Brown and K. Duraisamy, pp 65-78.
Numerical and experimental investigation of tip leakage flow and heat transfer using idealised rotor-tip models at transonic conditions. S.K. Krishnababu, H.P. Hodson, W.N. Dawes, P.J. Newton and G.D. Lock, pp 165-175.

SAFETY
A causal factors analysis of helicopter accidents in New Zealand 1996-2005 and the United Kingdom 1986-2005. A. Majumdar, K. Mak, C. Lettington and P. Nalder, pp 647-660.
Improved models for runway debris lofting simulations. S.N. Nguyen, E.S. Greenhalgh, L. Iannucci, R.Olsson and P.T. Curtis, pp 669-681.

SIMULATION
Analysis of helicopter vibratory hub loads alleviation by cyclic trailing-edge blade flap actuation. M. Gennaretti, M. Molica Colella and G. Bernardini, pp 549-556.
Flow visualisation of the helicopter brown-out phenomenon. N.D. Nathan and R.B. Green, pp 467-478.
Improved models for runway debris lofting simulations. S.N. Nguyen, E.S. Greenhalgh, L. Iannucci, R. Olsson and P.T. Curtis, pp 669-681.
Modelling methane-air turbulent diffusion flame in a gas turbine combustor with artifical neural network. N.S. Mehdizadeh and P. Sinaei, pp 541-547.
Numerical simulation of fluid-structure interaction in the opening process of conical parachute. Y. Cao, Z. Wu, Q. Song and J. Sheridan, pp 191-200.
The pilot model balked landing simulation project: A government, industry and national research cooperation. R. Hosman, J. Schuring, P. van der Geest, A. Belyavin, G., Robel, J.M. Towler and H.J. Hormann, pp 715-725.

STRUCTURES
A homogenisation-based continuum damage mechanics model for cyclic damage in 3D composites. S. Ghosh and J.R. Jain, pp 371-383.
A multidisciplinary approach-structural health monitoring and damage prognosis of aerospace hotspots. A. Chattopadhyay, P. Peralta, A.Papandreou-Suppappola and N.Kovvali, pp 799-810.
An integrated approach-local ultrasonic monitoring of fastener hole fatigue cracks. J E. Michaels, A.C. Cobb and T.E. Michaels, pp 775-788.
CLoVER: an alterntive concept for damage interrogation in structural health monitoring systems. K.I. Salas and C.E.S.Cesnik, pp 339-356.
Computational aeroelastic studies of a generic hypersonic vehicle. B.J. Thuruthimattam, P.P.Friedmann, K.G. Powell and

R.E. Bartels, pp 763-774.
Flight structures fundamental research trends and directions. V. Giurgiutiu, pp 331-337.
Identification of a MIMO state space model of an F/A-18 aircraft using a subspace method. S. De Jesus-Mota, M. Nadeau Beaulieu and R.M. Botez, pp 183-190.
Impact damage and repair of composite structures. B.G. Falzon, pp 431-445.
In-situ impact-induced damage assessment of woven composite laminates through a fibre Bragg grating sensor network. R.C. Garrett, K.J. Peters and M.A. Zikry, pp 357-370.
Macro-fiber composite actuators for a swept wing unmanned aircraft. O. Bilgen, K.B. Kochersberger and D.J. Inman, pp 385-395.
Material state changes as a basis for prognosis in aeronautical structures. K.L.Reifsnider, P. Fazzino, P.K.Majumdar and L. Xing, pp 789-798.
Model reduction strategies for nonlinear beams subjected-large overall actuations. B.Stanford, P.Beran and M. Kurdi, pp 751-762.
On a cellular division method for aircraft structural design. M.H. Kobayashi, H-T.C.Pedro, R.M. Kolonay and G.W.Reich, pp 821-831.
Statistical evaluation of flutter boundaries from flight flutter test data. A.A. Abbasi and J.E. Cooper, pp 41-51.
Time delay comb transducers for aircraft inspection. F. Yan and J.L. Rose, pp 417-427.
Using deformation modes — identify cracks in turbine engine compressor disks. R.A. Brockman, R. John and M.A. Huelsman, pp 811-819.
Vascular design for thermal management of headed structures. J. Lee, S. Lorente and A. Bejan, pp 397-407.

SYSTEMS

CLoVER: an alterntive concept for damage interrogation in structural health monitoring systems. K.I. Salas and C.E.S. Cesnik, pp 339-356.
Systems and certification issues for civil transport aircraft flow control systems. S.C. Liddle, pp 575-586.

TESTING FACILITIES

Wind tunnel testing of powered lift, all-wing STOL model. S.W. Collins, B.W. Westra, J.C. Lin, G.S. Jones and C.H. Zeune, pp 129-137.

UAVS

A new model for optimal TF/TA flight path design problem. R. Zardashti and M. Bagherian, pp 301-308.
Control laws for a formation of autonomous flight vehicles. M. Chiaramonti and G. Mengali, pp 609-616.
Design and implementation of linear-quadratic-Gaussian stability augmentation autopilot for unmanned air vehicle. C.-S. Lee, F.-B. Hsiao and S.-S. Jan, pp 275-290.
Development of a VTOL mini UAV for multi-tasking missions. B. Bataillé, J.-M.Moschetta, D. Poinsot, C. Bérard and A. Piquereau, pp 87-98.
Increasing persistence of UAVs and MAVs through thermal soaring. I.D. Cowling, S. Willcox, Y. Patel, P. Smith and M.Roberts, pp 479-489.
Macro-fiber composite actuators for a swept wing unmanned aircraft. O. Bilgen, K.B. Kochersberger and D.J. Inman, pp 385-395.
Simulation of wake vortex effects for UAVs in close formation flight. D. Saban, J.F. Whidborne and A.K. Cooke, pp 727-738.
The leading-edge vortex and aerodynamics of insect-based flapping-wing micro air vehicles. P.C. Wilkins and K. Knowles, pp 253-262.
Unmanned aviation traffic forecast. L.R. Newcome, pp 459-466.

WAKES

Dependence of radiated sound frequency on vortex core dynamics in multiple vortex interactions. Z.C. Zheng and W. Li, pp 233-242.
Flow visualisation of the helicopter brown-out phenomenon. N.D. Nathan and R.B. Green, pp 467-478.
Simulation of wake vortex effects for UAVs in close formation flight. D. Saban, J.F. Whidborne and A.K. Cooke, pp 727-738.
The leading-edge vortex and aerodynamics of insect-based flapping-wing micro air vehicles. P.C. Wilkins and K. Knowles, pp 253-262.

Author Index

ABBASI, A.A. and COOPER, J.E.
Statistical evaluation of flutter boundaries from flight flutter test data, pp 41-51.

ADAMS, N.A., GOLOGAN, C., SEIFERT, J., THOUAULT, N. and BREITSAMTER, C.
Experimental investigation of the aerodynamic characteristics of generic fan-in-wing configurations, pp 9-20.

ASHFORD, I.D., WILLCOX, S., PATEL, Y., SMITH, P. and ROBERTS, M.
An aviation approach-space transportation (A strategy for increasing space exploration within existing budget streams), pp 499-515.

BAGHERIAN, M. and ZARDASHTI, R.
A new model for optimal TF/TA flight path design problem, pp 301-308.

BAO, W., XIE, Z., FAN, Y., CHANG, J. and YU, D.
A CFD assessment of classifications for hypersonic inlet start/unstart phenomena, pp 263-271.

BAO, W., FAN, Y., SHEN, Y., CHANG, J. and YU, D.
Effects of boundary-layers bleeding on unstart/restart characteristics of hypersonic inlets, pp 319-327.

BARTELS, R.E., THURUTHIMATTAM, B.J., FRIEDMANN, P.P. and POWELL, K.G.
Computational aeroelastic studies of a generic hypersonic vehicle, pp 763-774.

BATAILLE, B., MOSCHETTA, J.-M., POINSOT, D., BERARD, C. and PIQUEREAU, A.
Development of a VTOL mini UAV for multi-tasking missions, pp 87-98.

BEJAN, A., LEE, J. and LORENTE, S.
Vascular design for thermal management of headed structures, pp 397-407.

BELYAVIN, A., ROBEL, G., TOWLER, J.M., HORMANN, H.J., HOSMAN, R., SCHURING, J. and VAN DER GEEST, P.
The pilot model balked landing simulation project: A government, industry and national research cooperation, pp 715-725.

BERAN, P., KURDI, M. and STANFORD, B.
Model reduction strategies for nonlinear beams subjected-large overall actuations, pp 751-762.

BERARD, C., PIQUEREAU, A., BATAILLE, B., MOSCHETTA, J.-M. and POINSOT, D.
Development of a VTOL mini UAV for multi-tasking missions, pp 87-98.

BERNARDINI, G., GENNARETTI, M. and MOLICA COLELLA, M.
Analysis of helicopter vibratory hub loads alleviation by cyclic trailing-edge blade flap actuation, pp 549-556.

BILGEN, O., KOCHERSBERGER, K.B. and INMAN, D.J.
Macro-fiber composite actuators for a swept wing unmanned aircraft, pp 385-395.

BOROOMAND, M., PILIDIS, P., TOUSI, A.M., KHALEGHI, H. and DOULGERIS, G.
A method for calculating inlet distortion effects on stability of split-flow fans, pp 591-598.

BOTEZ, R.M., DE JESUS-MOTA, S. and NADEAU BEAULIEU, M.
Identification of a MIMO state space model of an F/A-18 aircraft using a subspace method, pp 183-190.

BREITSAMTER, C., ADAMS, N.A., GOLOGAN, C., SEIFERT, J. and THOUAULT, N.
Experimental investigation of the aerodynamic characteristics of generic fan-in-wing configurations, pp 9-20.

BROCKMAN, R.A., JOHN, R. and HUELSMAN, M.A.
Using deformation modes-identify cracks in turbine engine compressor disks, pp 811-819.

BROICHHAUSEN, K., SEIFERT, J. and GOLOGAN, C.
A calculation method for parametric design studies of V/STOL aircraft, pp 309-317.

BROWN, R.E., DURAISAMY, K., KIM, H.W. and KENYON, A.R.
Interactional aerodynamics and acoustics of a hingeless coaxial helicopter with an auxiliary propeller in forward flight, pp 65-78.

BUSCHER, A., HANTRAIS-GERVOIS, J.-L., GRENON, R. and MANN, A.
Downward pointing winglet design and assessment within the M-DAW research project, pp 221-232.

BUTLER, C.M., CHUDOBA, B., COLEMAN, G. and CZYSZ, P.A.
Feasibility study of a supersonic business jet based on the Learjet airframe, pp 517-531.

CABRITA, P.M., SADDINGTON, A.J. and KNOWLES, K.
On the characteristics of a twin-jet STOVL fountain, pp 139-148.

CAIN, T.
A correction-sonic boom theory, pp 739-745.

CAO, Y., WU, Z., SONG, Q. and SHERIDAN, J.
Numerical simulation of fluid-structure interaction in the opening process of conical parachute, pp 191-200.

CESNIK, C.E.S. and SALAS, K.I.
CLoVER: an alterntive concept for damage interrogation in structural health monitoring systems, pp 339-356.

CHANG, J., YU, D., BAO, W., XIE, Z. and FAN, Y.
A CFD assessment of classifications for hypersonic inlet start/unstart phenomena, pp 263-271.

CHANG, J., YU, D., BAO, W., FAN, Y. and SHEN, Y.
Effects of boundary-layers bleeding on unstart/restart characteristics of hypersonic inlets, pp 319-327.

CHATTOPADHYAY, A., PERALTA, P., PAPANDREOU-SUPPAPPOLA, A. and KOVVALI, N.
A multidisciplinary approach-structural health monitoring and damage prognosis of aerospace hotspots, pp 799-810.

CHEN, J., FU, G., DUAN, D., ZHAO, H. and WANG, Q.
A methodology for optimisation design and analysis of stratosphere airship, pp 533-540.

CHIARAMONTI, M. and MENGALI, G.
Control laws for a formation of autonomous flight vehicles, pp 609-616.

CHUDOBA, B., COLEMAN, G., CZYSZ, P.A. and BUTLER, C.M.
Feasibility study of a supersonic business jet based on the Learjet airframe, pp 517-531.

COBB, A.C., MICHAELS, T. E. and MICHAELS, J E.
An integrated approach-local sym of fastener hole fatigue cracks, pp 775-788.

COLEMAN, G., CZYSZ, P.A., BUTLER, C.M. and CHUDOBA, B.
Feasibility study of a supersonic business jet based on the Learjet airframe, pp 517-531.

COLLINS, S.W., WESTRA, B.W., LIN, J.C., JONES, G.S. andZEUNE, C.H.
Wind tunnel testing of powered lift, all-wing STOL model, pp 129-137.

COOK, R., REVILL, N. and FRY, A.
CVF ski-jump ramp profile optimisation for F-35B, pp 79-85.

COOKE, A.K., SABAN, D. and WHIDBORNE, J.F.
Simulation of wake vortex effects for UAVs in close formation flight, pp 727-738.

COOPER, J.E. and ABBASI, A.A.
Statistical evaluation of flutter boundaries from flight flutter test data, pp 41-51.

COWLING, I.D., WILLCOX, S., PATEL, Y., SMITH, P. and ROBERTS, M.
Increasing persistence of UAVs and MAVs through thermal soaring, pp 479-489.

CROWTHER, W.J., WILDE, P.I.A., GILL, K. and MICHIE, S.M.
Towards Integrated design of fluidic flight controls for a flapless aircraft, pp 699-713.

CURTIS, P.T., NGUYEN, S.N., GREENHALGH, E.S., IANNUCCI, L. and OLSSON, R.
Improved models for runway debris lofting simulations, pp 669-681.

CZYSZ, P.A., BUTLER, C.M., CHUDOBA, B. and COLEMAN, G.
Feasibility study of a supersonic business jet based on the Learjet airframe, pp 517-531.

DAWES, W.N., NEWTON, P.J., LOCK, G.D., KRISHNABABU, S.K. and HODSON, H.P.
Numerical and experimental investigation of tip leakage flow and heat transfer using idealised rotor-tip models at transonic conditions, pp 165-175.

DE JESUS-MOTA, S., NADEAU BEAULIEU, M. and BOTEZ, R.M.
Identification of a MIMO state space model of an F/A-18 aircraft using a subspace method, pp 183-190.

DOULGERIS, G., BOROOMAND, M., PILIDIS, P., TOUSI, A.M. and KHALEGHI, H.
A method for calculating inlet distortion effects on stability of split-flow fans, pp 591-598.

DOWELL, E.H. and TANG, D.
Flutter/LCO suppression for high-aspect ratio wings, pp 409-416.

DUAN, D., ZHAO, H., WANG, Q., CHEN, J. and FU, G.
A methodology for optimisation design and analysis of stratosphere airship, pp 533-540.

DURAISAMY, K., KIM, H.W., KENYON, A.R. and BROWN, R.E.
Interactional aerodynamics and acoustics of a hingeless coaxial helicopter with an auxiliary propeller in forward flight, pp 65-78.

FALZON, B.G.,
Impact damage and repair of composite structures, pp 431-445.

FAN, Y., SHEN, Y., CHANG, J., YU, D. and BAO, W.
Effects of boundary-layers bleeding on unstart/restart characteristics of hypersonic inlets, pp 319-327.

FAN, Y., CHANG, J., YU, D., BAO, W. and XIE, Z.
A CFD assessment of classifications for hypersonic inlet start/unstart phenomena, pp 263-271.

FAZELZADEH, S.A., MAZIDI, A., RAHMATI, A.R. and MARZOCCA, P.
The effect of multiple stores arrangement on flutter speed of a shear deformable wing subjected-pull-up angular velocity, pp 661-668.

FAZZINO, P., MAJUMDAR, P.K., XING, L. and REIFSNIDER, K.L.
Material state changes as a basis for prognosis in aeronautical structures, pp 789-798.

FRIEDMANN, P.P., POWELL, K.G., BARTELS, R.E. and THURUTHIMATTAM, B.J.
Computational aeroelastic studies of a generic hypersonic vehicle, pp 763-774.

FRY, A., COOK, R. and REVILL, N.
CVF ski-jump ramp profile optimisation for F-35B, pp 79-85.

FU, G., DUAN, D., ZHAO, H., WANG, Q. and CHEN, J.
A methodology for optimisation design and analysis of stratosphere airship, pp 533-540.

GARRETT, R.C., PETERS, K.J. and ZIKRY, M.A.
In-situ impact-induced damage assessment of woven composite laminates through a fibre Bragg grating sensor network, pp 357-370.

GENNARETTI, M., MOLICA COLELLA, M. and BERNARDINI, G.
Analysis of helicopter vibratory hub loads alleviation by cyclic trailing-edge blade flap actuation, pp 549-556.

GHORBANIAN, K., SOLTANI, M.R., MANSHADI, M.D. and MIRZAEI, M.
Control of separation in the concave portion of contraction-improve the flow quality, pp 177-182.

GHOSH, A.K. and PEYADA, N.K.
Aircraft parameter estimation using a new filtering technique based upon a neural network and Gauss-Newton method, pp 243-252.

GHOSH, S. and JAIN, J.R.[A]
A homogenisation-based continuum damage mechanics model for cyclic damage in 3D composites, pp 371-383.

GILL, K., MICHIE, S.M., CROWTHER, W.J. and WILDE, P.I.A.
Towards Integrated design of fluidic flight controls for a flapless aircraft, pp 699-713.

GIURGIUTIU, V.,
Flight structures fundamental research trends and directions, pp 331-337.

GOLOGAN, C., SEIFERT, J., THOUAULT, N., BREITSAMTER, C. and ADAMS, N.A.
Experimental investigation of the aerodynamic characteristics of generic fan-in-wing configurations, pp 9-20.

GOLOGAN, C., BROICHHAUSEN, K. and SEIFERT, J.
A calculation method for parametric design studies of V/STOL aircraft, pp 309-317.

GOLOGAN, C.
Extreme short take-off and landing regional jets – economic motivation and technological challenges, pp 563-574.

GOULTER, C.J.M.
Air power and the future battlespace, pp 21-33.

GREEN, R.B. and NATHAN, N.D.
Flow visualisation of the helicopter brown-out phenomenon, pp 467-478.

GREENHALGH, E.S., IANNUCCI, L., OLSSON, R., CURTIS, P.T. and NGUYEN, S.N.
Improved models for runway debris lofting simulations, pp 669-681.

GRENON, R., MANN, A., BUSCHER, A. and HANTRAIS-GERVOIS, J.-L.
Downward pointing winglet design and assessment within the M-DAW research project, pp 221-232.

HALL, C.A.
Low noise engine design for the silent aircraft initiative, pp 599-607.

HANTRAIS-GERVOIS, J.-L., GRENON, R., MANN, A. and BUSCHER, A.
Downward pointing winglet design and assessment within the M-DAW research project, pp 221-232.

HARPER, M., MEYER, E., ROTH, B., HUTAPEA, P. and JACOBS, K.
Development of a proof-of-concept aircraft smart control system (Technical Note), pp 587-590.

HODSON, H.P., DAWES, W.N., NEWTON, P.J., LOCK, G.D. and KRISHNABABU, S.K.
Numerical and experimental investigation of tip leakage flow and heat transfer using idealised rotor-tip models at transonic conditions, pp 165-175.

HOGGARTH, R. and MANGE, R.
Highlights of the Lockheed Martin F-35 STOVL jet effects programme, pp 119-127.

HORMANN, H.J., HOSMAN, R., SCHURING, J., VAN DER GEEST, P., BELYAVIN, A., ROBEL, G. and TOWLER, J.M.
The pilot model balked landing simulation project: A government, industry and national research cooperation, pp 715-725.

HOSMAN, R., SCHURING, J., VAN DER GEEST, P., BELYAVIN, A., ROBEL, G., TOWLER, J.M. and HORMANN, H.J.
The pilot model balked landing simulation project: A government, industry and national research cooperation, pp 715-725.

HOWARTH, D.K.
VSTOL aircraft market analysis, pp 107-118.

HSIAO, F.-B., JAN, S.-S. and LEE, C.-S.
Design and implementation of linear-quadratic-Gaussian stability augmentation autopilot for unmanned air vehicle, pp 275-290.

HUELSMAN, M.A., BROCKMAN, R.A. and JOHN, R.
Using deformation modes-identify cracks in turbine engine compressor disks, pp 811-819.

HUTAPEA, P., JACOBS, K., HARPER, M., MEYER, E. and ROTH, B.
Development of a proof-of-concept aircraft smart control system (Technical Note), pp 587-590.

IANNUCCI, L., OLSSON, R., CURTIS, P.T., NGUYEN, S.N. and GREENHALGH, E.S.
Improved models for runway debris lofting simulations, pp 669-681.

INMAN, D.J., BILGEN, O. and KOCHERSBERGER, K.B.
Macro-fiber composite actuators for a swept wing unmanned aircraft, pp 385-395.

JACOBS, K., HARPER, M., MEYER, E., ROTH, B. and HUTAPEA, P.
Development of a proof-of-concept aircraft smart control system (Technical Note), pp 587-590.

JAIN, J.R. and GHOSH, S.
A homogenisation-based continuum damage mechanics model for cyclic damage in 3D composites, pp 371-383.

JAN, S.-S., LEE, C.-S. and HSIAO, F.-B.
Design and implementation of linear-quadratic-Gaussian stability augmentation autopilot for unmanned air vehicle, pp 275-290.

JOHN, R., HUELSMAN, M.A. and BROCKMAN, R.A.
Using deformation modes-identify cracks in turbine engine compressor disks, pp 811-81.

JONES, G.S., ZEUNE, C.H., COLLINS, S.W., WESTRA, B.W. and LIN, J.C.
Wind tunnel testing of powered lift, all-wing STOL model, pp 129-137.

KENYON, A.R., BROWN, R.E., DURAISAMY, K. and KIM, H.W.
Interactional aerodynamics and acoustics of a hingeless coaxial helicopter with an auxiliary propeller in forward flight, pp 65-78.

KHALEGHI, H., DOULGERIS, G., BOROOMAND, M., PILIDIS, P. and TOUSI, A.M.
A method for calculating inlet distortion effects on stability of split-flow fans, pp 591-598.

KIM, H.W., KENYON, A.R., BROWN, R.E. and DURAISAMY, K.
Interactional aerodynamics and acoustics of a hingeless coaxial helicopter with an auxiliary propeller in forward flight, pp 65-78.

KNOWLES, K. and WILKINS, P.C.
The leading-edge vortex and aerodynamics of insect-based flapping-wing micro air vehicles, pp 253-262.

KNOWLES, K., CABRITA, P.M. and SADDINGTON, A.J.
On the characteristics of a twin-jet STOVL fountain, pp 139-148.

KOBAYASHI, M.H., PEDRO, H-T.C., KOLONAY, R.M. and REICH, G.W.
On a cellular division method for aircraft structural design, pp 821-831.

KOCHERSBERGER, K.B., INMAN, D.J. and KOCHERSBERGER, K.B.
Macro-fiber composite actuators for a swept wing unmanned aircraft, pp 385-395.

KOLONAY, R.M., REICH, G.W., KOBAYASHI, M.H. and PEDRO, H-T.C.
On a cellular division method for aircraft structural design, pp 821-831.

KONTIS, K. and WONG, C.
Pneumatic flow control studies using steady blowing on a supercritical aerofoil, pp 53-63.

KOVVALI, N., CHATTOPADHYAY, A., PERALTA, P. and PAPANDREOU-SUPPAPPOLA, A.
A multidisciplinary approach-structural health monitoring and damage prognosis of aerospace hotspots, pp 799-810.

KRISHNABABU, S.K., HODSON, H.P., DAWES, W.N., NEWTON, P.J. and LOCK, G.D.
Numerical and experimental investigation of tip leakage flow and heat transfer using idealised rotor-tip models at transonic conditions, pp 165-175.

KURDI, M., STANFORD, B. and BERAN, P.
Model reduction strategies for nonlinear beams subjected-large overall actuations, pp 751-762.

KURIAN, J. and VIKRAMADITYA, N.S.
Effect of aft wall slope on cavity pressure oscillations in supersonic flows, pp 291-300.

LEE, C.-S., HSIAO, F.-B. and JAN, S.-S.
Design and implementation of linear-quadratic-Gaussian stability augmentation autopilot for unmanned air vehicle, pp 275-290.

LEE, J., LORENTE, S. and BEJAN, A.
Vascular design for thermal management of headed structures, pp 397-407.

LEE, S. and LOTH, E.
Supersonic boundary-layer interactions with various micro-vortex generator geometries, pp 683-697.

LETTINGTON, C., NALDER, P., MAJUMDAR, A. and MAK, K.
A causal factors analysis of helicopter accidents in New Zealand 1996-2005 and the United Kingdom 1986-2005, pp 647-660.

LI, W. and ZHENG, Z.C.
Dependence of radiated sound frequency on vortex core dynamics in multiple vortex interactions, pp 233-242.

LIDDLE, S.C.
Systems and certification issues for civil transport aircraft flow control systems, pp 575-586.

LIN, J.C., JONES, G.S., ZEUNE, C.H., COLLINS, S.W. and WESTRA, B.W.
Wind tunnel testing of powered lift, all-wing STOL model, pp 129-137.

LOCK, G.D., KRISHNABABU, S.K., HODSON, H.P., DAWES, W.N. and NEWTON, P.J.
Numerical and experimental investigation of tip leakage flow and heat transfer using idealised rotor-tip models at transonic conditions, pp 165-175.

LORENTE, S., BEJAN, A. and LEE, J.
Vascular design for thermal management of headed structures, pp 397-407.

LOTH, E. and LEE, S.
Supersonic boundary-layer interactions with various micro-vortex generator geometries, pp 683-697.

MAJUMDAR, A., MAK, K., LETTINGTON, C. and NALDER, P.
A causal factors analysis of helicopter accidents in New Zealand 1996-2005 and the United Kingdom 1986-2005, pp 647-660.

MAJUMDAR, P.K., XING, L., REIFSNIDER, K.L. and FAZZINO, P.
Material state changes as a basis for prognosis in aeronautical structures, pp 789-798.

MAK, K., LETTINGTON, C., NALDER, P. and MAJUMDAR, A.
A causal factors analysis of helicopter accidents in New Zealand 1996-2005 and the United Kingdom 1986-2005, pp 647-660.

MANGE, R. and HOGGARTH, R.
Highlights of the Lockheed Martin F-35 STOVL jet effects programme, pp 119-127.

MANN, A., BUSCHER, A., HANTRAIS-GERVOIS, J.-L. and GRENON, R.
Downward pointing winglet design and assessment within the M-DAW research project, pp 221-232.

MANSHADI, M.D., MIRZAEI, M., GHORBANIAN, K. and SOLTANI, M.R.
Control of separation in the concave portion of contraction-improve the flow quality, pp 177-182.

MARZOCCA, P., FAZELZADEH, S.A., MAZIDI, A. and RAHMATI, A.R.
The effect of multiple stores arrangement on flutter speed of a shear deformable wing subjected-pull-up angular velocity, pp 661-668.

MAZIDI, A., RAHMATI, A.R., MARZOCCA, P. and FAZELZADEH, S.A.
The effect of multiple stores arrangement on flutter speed of a shear deformable wing subjected-pull-up angular velocity, pp 661-668.

MCGRORY, W.D., MEIROVITCH, L. and TUZCU, I.
Predicting the response of low-aspect ratio, flexible aircraft, pp 207-219.

MCGUIRK, J.J. and PAGE, G.J.
Large eddy simulation of a complete Harrier aircraft in ground effect, pp 99-106.

MEHDIZADEH, N.S. and SINAEI, P.
Modelling methane-air turbulent diffusion flame in a gas turbine combustor with artifical neural network, pp 541-547.

MEIROVITCH, L., TUZCU, I. and MCGRORY, W.D.
Predicting the response of low-aspect ratio, flexible aircraft, pp 207-219.

MENGALI, G. and PANESI, R.
Flight control system design with H∞ loop-shaping approach through non-diagonal weights, pp 447-458 .

MENGALI, G. and CHIARAMONTI, M.
Control laws for a formation of autonomous flight vehicles, pp 609-616.

MEYER, E., ROTH, B., HUTAPEA, P., JACOBS, K. and HARPER, M.
Development of a proof-of-concept aircraft smart control system (Technical Note), pp 587-590.

MICHAELS, J. E., MICHAELS, T. E. and COBB, A.C.
An integrated approach-local ultrasonic monitoring of fastener hole fatigue cracks, pp 775-788.

MICHAELS, T. E., COBB, A.C. and MICHAELS, J. E.
An integrated approach-local ultrasonic monitoring of fastener hole fatigue cracks, pp 775-788.

MICHIE, S.M., CROWTHER, W.J., WILDE, P.I.A. and GILL, K.
Towards integrated design of fluidic flight controls for a flapless aircraft, pp 699-713.

MIRZAEI, M., GHORBANIAN, K., SOLTANI, M.R. and MANSHADI, M.D.
Control of separation in the concave portion of contraction-improve the flow quality, pp 177-182.

MOLICA COLELLA, M., BERNARDINI, G. and GENNARETTI, M.
Analysis of helicopter vibratory hub loads alleviation by cyclic trailing-edge blade flap actuation, pp 549-556.

MOSCHETTA, J.-M., POINSOT, D., BERARD, C., PIQUEREAU, A. and BATAILLE, B.
Development of a VTOL mini UAV for multi-tasking missions, pp 87-98.

NADEAU BEAULIEU, M., BOTEZ, R.M. and DE JESUS-MOTA, S.
Identification of a MIMO state space model of an F/A-18 aircraft using a subspace method, pp 183-190.

NALDER, P., MAJUMDAR, A., MAK, K. and LETTINGTON, C.
A causal factors analysis of helicopter accidents in New Zealand 1996-2005 and the United Kingdom 1986-2005, pp 647-660.

NATHAN, N.D. and GREEN, R.B.
Flow visualisation of the helicopter brown-out phenomenon, pp 467-478.

NEWCOME, L.R.
Unmanned aviation traffic forecast, pp 459-466.

NEWTON, P.J., LOCK, G.D., KRISHNABABU, S.K., HODSON, H.P. and DAWES, W.N.
Numerical and experimental investigation of tip leakage flow and heat transfer using idealised rotor-tip models at transonic conditions, pp 165-175.

NGUYEN, S.N., GREENHALGH, E.S., IANNUCCI, L., OLSSON, R. and CURTIS, P.T.
Improved models for runway debris lofting simulations, pp 669-681.

OLSSON, R., CURTIS, P.T., NGUYEN, S.N., GREENHALGH, E.S. and IANNUCCI, L.
Improved models for runway debris lofting simulations, pp 669-681.

PAGE, G.J. and MCGUIRK, J.J.
Large eddy simulation of a complete Harrier aircraft in ground effect, pp 99-106.

PANESI, R. and MENGALI, G.
Flight control system design with H∞ loop-shaping approach through non-diagonal weights, pp 447-458 .

PAPANDREOU-SUPPAPPOLA, A., KOVVALI, N., CHATTOPADHYAY, A. and PERALTA, P.
A multidisciplinary approach-structural health monitoring and damage prognosis of aerospace hotspots, pp 799-810.

PATEL, Y., SMITH, P., ROBERTS, M., ASHFORD, I.D. and WILLCOX, S.
An aviation approach-space transportation (A strategy for increasing space exploration within existing budget streams), pp 499-515.

PATEL, Y., SMITH, P., ROBERTS, M., COWLING, I.D. and WILLCOX, S.
Increasing persistence of UAVs and MAVs through thermal soaring, pp 479-489.

PEDRO, H-T.C., KOLONAY, R.M., REICH, G.W. and KOBAYASHI, M.H.
On a cellular division method for aircraft structural design, pp 821-831.

PERALTA, P., PAPANDREOU-SUPPAPPOLA, A., KOVVALI, N. and CHATTOPADHYAY, A.
A multidisciplinary approach-structural health monitoring and damage prognosis of aerospace hotspots, pp 799-810.

PETERS, K.J., ZIKRY, M.A. and GARRETT, R.C.
In-situ impact-induced damage assessment of woven composite laminates through a fibre Bragg grating sensor network, pp 357-370.

PEYADA, N.K. and GHOSH, A.K.
Aircraft parameter estimation using a new filtering technique based upon a neural network and Gauss-Newton method, pp 243-252.

PILIDIS, P., TOUSI, A.M., KHALEGHI, H., DOULGERIS, G. and BOROOMAND, M.
A method for calculating inlet distortion effects on stability of split-flow fans, pp 591-598.

PIQUEREAU, A., BATAILLE, B., MOSCHETTA, J.-M., POINSOT, D. and BERARD, C.
Development of a VTOL mini UAV for multi-tasking missions, pp 87-98.

POINSOT, D., BERARD, C., PIQUEREAU, A., BATAILLE, B. and MOSCHETTA, J.-M.
Development of a VTOL mini UAV for multi-tasking missions, pp 87-98.

POLL, D.I.A.
The optimum aeroplane and beyond, pp 151-164.

POWELL, K.G., BARTELS, R.E., THURUTHIMATTAM, B.J. and FRIEDMANN, P.P.
Computational aeroelastic studies of a generic hypersonic vehicle, pp 763-774.

PRINGVANICH, N. and SATIRAPOD, C.
Flight test results and analysis of SBAS-like algorithm from the implementation of the Asia-Pacific GNSS test bed, pp 35-40.

RAHMATI, A.R., MARZOCCA, P., FAZELZADEH, S.A. and MAZIDI, A.
The effect of multiple stores arrangement on flutter speed of a shear deformable wing subjected-pull-up angular velocity, pp 661-668.

REICH, G.W., KOBAYASHI, M.H., PEDRO, H-T.C. and KOLONAY, R.M.

On a cellular division method for aircraft structural design, pp 821-831.

REIFSNIDER, K.L., FAZZINO, P., MAJUMDAR, P.K. and XING, L.
Material state changes as a basis for prognosis in aeronautical structures, pp 789-798.

REVILL, N., FRY, A. and COOK, R.
CVF ski-jump ramp profile optimisation for F-35B, pp 79-85.

ROBEL, G., TOWLER, J.M., HORMANN, H.J., HOSMAN, R., SCHURING, J., VAN DER GEEST, P. and BELYAVIN, A.
The pilot model balked landing simulation project: A government, industry and national research cooperation, pp 715-725.

ROBERTS, M., ASHFORD, I.D., WILLCOX, S., PATEL, Y. and SMITH, P.
An aviation approach-space transportation (A strategy for increasing space exploration within existing budget streams), pp 499-515.

ROBERTS, M., COWLING, I.D., WILLCOX, S., PATEL, Y. and SMITH, P.
Increasing persistence of UAVs and MAVs through thermal soaring, pp 479-489.

ROSE, J.L. and YAN, F.
Time delay comb transducers for aircraft inspection, pp 417-427.

ROTH, B., HUTAPEA, P., JACOBS, K., HARPER, M. and MEYER, E.
Development of a proof-of-concept aircraft smart control system (Technical Note), pp 587-590.

SABAN, D., WHIDBORNE, J.F. and COOKE, A.K.
Simulation of wake vortex effects for UAVs in close formation flight, pp 727-738.

SADDINGTON, A.J., KNOWLES, K. and CABRITA, P.M.
On the characteristics of a twin-jet STOVL fountain, pp 139-148.

SALAS, K.I. and CESNIK, C.E.S.
CLoVER: an alterntive concept for damage interrogation in structural health monitoring systems, pp 339-356.

SANTER, M.J. and SEFFEN, K.A.
Optical space telescope structures: The state of the art and future directions, pp 633-645.

SATIRAPOD, C. and PRINGVANICH, N.
Flight test results and analysis of SBAS-like algorithm from the implementation of the Asia-Pacific GNSS test bed, pp 35-40.

SCHURING, J., VAN DER GEEST, P., BELYAVIN, A., ROBEL, G., TOWLER, J.M., HORMANN, H.J. and HOSMAN, R.
The pilot model balked landing simulation project: A government, industry and national research cooperation, pp 715-725.

SEFFEN, K.A. and SANTER, M.J.
Optical space telescope structures: The state of the art and future directions, pp 633-645.

SEIFERT, J., THOUAULT, N., BREITSAMTER, C., ADAMS, N.A. and GOLOGAN, C.
Experimental investigation of the aerodynamic characteristics of generic fan-in-wing configurations, pp 9-20.

SEIFERT, J., GOLOGAN, C. and BROICHHAUSEN, K.
A calculation method for parametric design studies of V/STOL aircraft, pp 309-317.

SHANG, J.S.
Computational fluid dynamics application-aerospace science, pp 619-632.

SHEN, Y., CHANG, J., YU, D., BAO, W. and FAN, Y.
Effects of boundary-layers bleeding on unstart/restart characteristics of hypersonic inlets, pp 319-327.

SHERIDAN, J., CAO, Y., WU, Z. and SONG, Q.
Numerical simulation of fluid-structure interaction in the opening process of conical parachute, pp 191-200.

SINAEI, P. and MEHDIZADEH, N.S.
Modelling methane-air turbulent diffusion flame in a gas turbine combustor with artifical neural network, pp 541-547.

SMITH, P., ROBERTS, M., ASHFORD, I.D., WILLCOX, S. and PATEL, Y.
An aviation approach-space transportation (A strategy for increasing space exploration within existing budget streams), pp 499-515.

SMITH, P., ROBERTS, M., COWLING, I.D., WILLCOX, S. and PATEL, Y.
Increasing persistence of UAVs and MAVs through thermal soaring, pp 479-489.

SOLTANI, M.R., MANSHADI, M.D., MIRZAEI, M. and GHORBANIAN, K.
Control of separation in the concave portion of contraction-improve the flow quality, pp 177-182.

SONG, Q., SHERIDAN, J., CAO, Y. and WU, Z.
Numerical simulation of fluid-structure interaction in the opening process of conical parachute, pp 191-200.

STANFORD, B., BERAN, P. and KURDI, M.
Model reduction strategies for nonlinear beams subjected-large overall actuations, pp 751-762.

TANG, D. and DOWELL, E.H.
Flutter/LCO suppression for high-aspect ratio wings, pp 409-416.

THOUAULT, N., BREITSAMTER, C., ADAMS, N.A., GOLOGAN, C. and SEIFERT, J.
Experimental investigation of the aerodynamic characteristics of generic fan-in-wing configurations, pp 9-20.

THURUTHIMATTAM, B.J., FRIEDMANN, P.P., POWELL, K.G. and BARTELS, R.E.
Computational aeroelastic studies of a generic hypersonic vehicle, pp 763-774.

TOUSI, A.M., KHALEGHI, H., DOULGERIS, G., BOROOMAND, M. and PILIDIS, P.
A method for calculating inlet distortion effects on stability of split-flow fans, pp 591-598.

TOWLER, J.M., HORMANN, H.J., HOSMAN, R., SCHURING, J., VAN DER GEEST, P., BELYAVIN, A. and ROBEL, G.,
The pilot model balked landing simulation project: A government, industry and national research cooperation, pp 715-725.

TUZCU, I., MCGRORY, W.D. and MEIROVITCH, L.
Predicting the response of low-aspect ratio, flexible aircraft, pp 207-219.

VAN DER GEEST, P., BELYAVIN, A., ROBEL, G., TOWLER, J.M., HORMANN, H.J., HOSMAN, R. and SCHURING, J.
The pilot model balked landing simulation project: A government, industry and national research cooperation, pp 715-725.

VAN DER PLAS, H. and VASSER, H.G.
Trajectory optimisation of an aerobatic air race, pp 1-8.

VASSER, H.G. and VAN DER PLAS, H.
Trajectory optimisation of an aerobatic air race, pp 1-8.

VIKRAMADITYA, N.S. and KURIAN, J.
Effect of aft wall slope on cavity pressure oscillations in supersonic flows, pp 291-300.

WANG, Q., CHEN, J., FU, G., DUAN, D. and ZHAO, H.
A methodology for optimisation design and analysis of stratosphere airship, pp 533-540.

WESTRA, B.W., LIN, J.C., JONES, G.S., ZEUNE, C.H. and COLLINS, S.W.
Wind tunnel testing of powered lift, all-wing STOL model, pp 129-137.

WHIDBORNE, J.F., COOKE, A.K. and SABAN, D.
Simulation of wake vortex effects for UAVs in close formation flight, pp 727-738.

WILDE, P.I.A., GILL, K., MICHIE, S.M. and CROWTHER, W.J.
Towards integrated design of fluidic flight controls for a flapless aircraft, pp 699-713.

WILKINS, P.C. and KNOWLES, K.
The leading-edge vortex and aerodynamics of insect-based flapping-wing micro air vehicles, pp 253-262.

WILLCOX, S., PATEL, Y., SMITH, P., ROBERTS, M. and ASHFORD, I.D.
An aviation approach-space transportation (A strategy for increasing space exploration within existing budget streams), pp 499-515.

WILLCOX, S., PATEL, Y., SMITH, P., ROBERTS, M. and COWLING, I.D.
Increasing persistence of UAVs and MAVs through thermal soaring, pp 479-489.

WONG, C. and KONTIS, K.
Pneumatic flow control studies using steady blowing on a supercritical aerofoil, pp 53-63.

WU, Z., SONG, Q., SHERIDAN, J. and CAO, Y.
Numerical simulation of fluid-structure interaction in the opening process of conical parachute, pp 191-200.

XIE, Z., FAN, Y., CHANG, J., YU, D. and BAO, W.
A CFD assessment of classifications for hypersonic inlet start/unstart phenomena, pp 263-271.

XING, L., REIFSNIDER, K.L., FAZZINO, P. and MAJUMDAR, P.K.
Material state changes as a basis for prognosis in aeronautical structures, pp 789-798.

YAN, F. and ROSE, J.L.
Time delay comb transducers for aircraft inspection, pp 417-427.

YU, D., BAO, W., XIE, Z., FAN, Y. and CHANG, J.
A CFD assessment of classifications for hypersonic inlet start/unstart phenomena, pp 263-271.

YU, D., BAO, W., FAN, Y., SHEN, Y. and CHANG, J.
Effects of boundary-layers bleeding on unstart/restart characteristics of hypersonic inlets, pp 319-327.

ZARDASHTI, R. and BAGHERIAN, M.
A new model for optimal TF/TA flight path design problem, pp 301-308.

ZEUNE, C.H., COLLINS, S.W., WESTRA, B.W., LIN, J.C. and JONES, G.S.
Wind tunnel testing of powered lift, all-wing STOL model, pp 129-137.

ZHAO, H., WANG, Q., CHEN, J., FU, G. and DUAN, D.
A methodology for optimisation design and analysis of stratosphere airship, pp 533-540.

ZHENG, Z.C. and LI, W.
Dependence of radiated sound frequency on vortex core dynamics in multiple vortex interactions, pp 233-242.

ZIKRY, M.A., GARRETT, R.C. and PETERS, K.J.
In-situ impact-induced damage assessment of woven composite laminates through a fibre Bragg grating sensor network, pp 357-370.

Volume CXIII

Number 1139	January	pp 1-63
Number 1140	February	pp 65-148
Number 1141	March	pp 151-204
Number 1142	April	pp 207-272
Number 1143	May	pp 275-327
Number 1144	June	pp 331-427
Number 1145	July	pp 431-496
Number 1146	August	pp 499-560
Number 1147	September	pp 563-616
Number 1148	October	pp 619-681
Number 1149	November	pp 683-747
Number 1150	December	pp 751-841